BOXER 52 II VACUUM PACKAGING MACHINE





DESCRIPTION:

The robust stainless steel Boxer 52 II vacuum packaging machine comes standard equipped with two seal bars, a Busch vacuum pump, and Digital control with a 10-program memory. This tabletop model complies with CE standards.







FEATURES:

- Standard with 2 seal bars (left-right): 2 x 410 mm
- Standard double seal (two wires). Optional without extra costs: Cut-off/Wide seal
- Seal bars easily removable for cleaning and maintenance purposes
- Pump capacity: 21 m³/h Busch vacuum pump
- Pump maintenance and cleaning program
- Machine cycle: 20-40 sec
- Standard Digital control with Time control and a 10-program memory
- Standard Soft Air to protect the product and vacuum bag
- · Deep-drawn stainless steel vacuum chamber
- · Stainless steel exterior and transparent lid
- Comes with an insert plate for a faster cycle and product adjustment

OPTIONS:

- 1-2 Cut off seal
- Sensor control/Advanced Control System
- Liquid control
- Gas flush

ACCESSORIES:

- Zebra ZD410 thermal label printer (only in combination with Advanced Control System)
- · Inclined insert plate (for packing liquids)
- Food container adaptor
- · Service kit for standard maintenance

SEAL BAR CONFIGURATION:





Sales and Service Support

Phone:

(07) 3806 5972

Email:

sales@vacpac.com.au service@vacpac.com.au


Visit our Showroom

Unit 3, 14-16 Cairns Street, Loganholme QLD, Australia 4129


BOXER 52 II VACUUM PACKAGING MACHINE




DIMENSIONS (IN MM)



OUTER DIMENSIONS Boxer 52





Model	Dimensions (mm)		Voltage*	Pump	Power	Weight
	Chamber (usable space) L x W x H	Machine L x W x H	(Hz)	capacity (m3/h)	(kW)	(kg)
Boxer 52 II	410 x 520 x 180	528 x 698 x 440	230V-1-50	21	0,75 - 1,0	81

* Other voltages available



Sales and Service Support

Phone:

(07) 3806 5972

Email

sales@vacpac.com.au service@vacpac.com.au

Visit our Showroom

Unit 3, 14-16 Cairns Street, Loganholme QLD, Australia 4129